

#	číslo bodu	typ geometrie	zeměpisná šířka			zeměpisná délka			max. výška Bpv	výška nad OP	fotka	popis	značení	
			°	'	''	°	'	''					denní	noční
1	204	bod	49	42	02.89	18	07	42.98	283,0	13,7	<a href="#">P4110002</a>	hangár Job Air	N	A
2	205	bod	49	41	59.53	18	07	35.72	277,7	5,3	<a href="#">P4110003</a>	osvětlovací stožár	N	A
3	213	bod	49	41	07.34	18	06	08.88	271,0	1,2	<a href="#">P4110008</a>	hangár ACO	N	N
4	214	bod	49	41	05.48	18	06	09.03	283,0	4,0	<a href="#">P4110007</a>	osvětlovací stožár	N	A
5	217	bod	49	42	20.55	18	09	22.87	304,1	8,1	<a href="#">P4110011</a>	vodojem	N	N
6	218	bod	49	42	19.50	18	09	22.03	296,7	0,7	<a href="#">P4110011</a>	vodojem	N	A
7	220	bod	49	40	43.25	18	04	56.76	268,2	3,2	<a href="#">P4110018</a>	strom	-	-
8	221	polygon	49	40	14.96	18	03	55.49	290,9	-	<a href="#">P4110020</a>	stromy	-	-
	222		49	40	13.10	18	03	57.99						
	223		49	40	13.64	18	03	58.96						
	224		49	40	14.81	18	03	59.35						
	225		49	40	15.58	18	03	58.11						
	226		49	40	15.42	18	03	56.47						
	221		49	40	14.96	18	03	55.49						
9	227	bod	49	40	11.58	18	04	35.69	285,5	4,8	<a href="#">P4110021</a>	stromy	-	-
10	230	bod	49	43	03.38	18	11	05.81	301,5	5,5	<a href="#">P4120026</a>	vojenský vysílač	N	A
11	231	bod	49	42	27.08	18	09	40.52	296,8	0,8	<a href="#">P4120027</a>	vodojem	N	A
12	233	bod	49	38	40.46	18	11	43.08	403,4	7,4	<a href="#">P4120037</a>	převaděč mobilních operátorů	N	A
13	234	bod	49	38	42.26	18	11	39.43	397,1	1,1	<a href="#">P4120038</a>	sloup vysokého napětí	N	N
14	239	linie	49	42	42.91	18	08	23.59	256,5	-		stromy	-	-
	240		49	42	51.41	18	08	26.15						
	241		49	42	54.33	18	08	27.42						
	242		49	42	59.59	18	08	31.31						
	243		49	43	00.37	18	08	32.01						
15	247	polygon	49	38	41.70	18	11	59.73	398,9	-	<a href="#">P4120035</a>	les	-	-
	248		49	38	41.63	18	12	06.40						
	249		49	38	43.34	18	12	07.29						
	250		49	38	43.57	18	12	04.82						
	247		49	38	41.70	18	11	59.73						
16	251	polygon	49	36	51.65	18	04	28.84	523,3	-	<a href="#">P4120048</a>	terén, les	-	-
	252		49	36	50.77	18	04	21.57						
	253		49	36	48.77	18	04	15.49						
	254		49	36	39.73	18	04	12.97						
	255		49	36	37.17	18	04	14.67						
	256		49	36	33.99	18	04	19.51						
	257		49	36	32.23	18	04	27.58						
	258		49	36	27.28	18	04	36.83						
	259		49	36	28.96	18	04	42.65						
	260		49	36	28.83	18	04	46.61						
	261		49	36	27.92	18	04	47.88						
	262		49	36	25.88	18	04	56.56						
	263		49	36	26.08	18	04	59.39						
	264		49	36	28.17	18	05	03.39						
	265		49	36	31.47	18	05	25.34						
	266		49	36	33.30	18	05	31.91						
	267		49	36	42.79	18	05	35.97						
	268		49	36	53.78	18	05	37.87						
	269		49	36	53.58	18	05	22.03						
	270		49	36	50.92	18	05	13.39						
	271		49	36	50.64	18	04	50.24						
272	49	36	47.64	18	04	48.84								
273	49	36	48.65	18	04	43.94								
274	49	36	49.26	18	04	29.02								
275	49	36	51.65	18	04	28.84								
17	275	polygon	49	35	06.10	17	57	44.60	506,0	-		les	-	-
	276		49	34	57.96	17	57	41.39						
	277		49	34	43.81	17	57	46.05						
	278		49	34	43.62	17	57	50.61						
	279		49	34	55.71	17	58	03.74						
	280		49	34	59.28	17	58	04.14						
	281		49	35	04.11	17	58	03.26						
	282		49	35	06.10	17	58	01.60						
	283		49	35	07.99	17	57	57.66						
	284		49	35	08.60	17	57	54.38						
	285		49	35	08.30	17	57	49.29						
275	49	35	06.10	17	57	44.60								

18	366	polygon	49	38	40.62	18	06	33.06	332,0	-		obec Prchalov	-	-
	367		49	38	45.89	18	06	36.40						
	368		49	38	48.24	18	06	48.06						
	369		49	38	46.74	18	06	49.48						
	370		49	38	53.18	18	07	10.00						
	371		49	38	55.27	18	07	08.53						
	372		49	39	08.05	18	07	48.33						
	373		49	39	01.96	18	07	53.09						
	374		49	38	59.67	18	07	46.69						
	375		49	39	00.78	18	07	45.80						
	376		49	38	54.49	18	07	28.73						
	377		49	38	49.06	18	07	28.70						
	378		49	38	47.67	18	07	24.31						
	379		49	38	50.24	18	07	22.25						
	380		49	38	41.02	18	06	57.04						
	381		49	38	39.61	18	06	57.23						
	382		49	38	38.59	18	06	53.66						
	383		49	38	41.47	18	06	48.73						
	384		49	38	37.20	18	06	35.81						
	366		49	38	40.62	18	06	33.06						
19	555	polygon	49	41	17.91	18	09	33.96	320,0	-		les	-	-
	556		49	41	18.95	18	09	39.70						
	557		49	41	20.29	18	09	42.39						
	558		49	41	21.37	18	09	40.27						
	559		49	41	23.91	18	09	46.82						
	560		49	41	24.59	18	09	51.70						
	561		49	41	26.54	18	09	53.95						
	562		49	41	27.79	18	09	56.53						
	563		49	41	26.30	18	09	57.50						
	564		49	41	23.82	18	09	57.57						
	565		49	41	23.14	18	09	57.04						
	566		49	41	24.36	18	09	55.55						
	567		49	41	22.72	18	09	51.88						
	568		49	41	18.00	18	09	51.14						
	569		49	41	15.24	18	09	45.23						
	570		49	41	15.44	18	09	48.76						
	571		49	41	14.04	18	09	49.91						
	572		49	41	15.46	18	09	54.33						
	573		49	41	14.95	18	09	55.39						
	574		49	41	13.75	18	09	53.19						
575	49	41	09.62	18	09	50.67								
576	49	41	08.29	18	09	47.19								
577	49	41	08.63	18	09	46.25								
578	49	41	06.74	18	09	42.48								
579	49	41	09.51	18	09	36.78								
580	49	41	11.68	18	09	34.64								
581	49	41	12.39	18	09	35.67								
582	49	41	14.68	18	09	34.71								
555	49	41	17.91	18	09	33.96								
20	583	polygon	49	40	08.18	18	08	44.80	305,0	-		stromy	-	-
	584		49	40	04.56	18	08	32.69						
	585		49	40	03.82	18	08	33.19						
	586		49	40	07.49	18	08	45.45						
	583		49	40	08.18	18	08	44.80						
21	593	polygon	49	40	37.64	18	09	52.07	318,0	-		les	-	-
	594		49	40	34.01	18	09	56.35						
	595		49	40	35.29	18	10	11.31						
	596		49	40	26.86	18	10	12.02						
	597		49	40	31.11	18	10	29.17						
	598		49	40	37.65	18	10	29.69						
	599		49	40	41.78	18	10	24.29						
	600		49	40	50.33	18	10	18.80						
	601		49	40	55.71	18	10	19.22						
	602		49	40	56.92	18	10	17.39						
	603		49	40	49.00	18	10	09.44						
	604		49	40	41.84	18	09	59.98						
	593		49	40	37.64	18	09	52.07						

22	605	polygon	49	39	32.48	18	04	14.19	306,0	-		les	-	-
	606		49	39	24.27	18	04	15.31						
	607		49	39	27.46	18	04	23.46						
	608		49	39	25.60	18	04	23.94						
	609		49	39	26.70	18	04	26.09						
	610		49	39	25.65	18	04	34.17						
	611		49	39	24.35	18	04	30.49						
	612		49	39	23.15	18	04	32.72						
	613		49	39	23.65	18	04	37.17						
	614		49	39	15.95	18	04	43.64						
	615		49	39	18.57	18	04	46.22						
	616		49	39	23.75	18	04	41.38						
	617		49	39	25.24	18	04	43.89						
	618		49	39	30.39	18	04	40.16						
	619		49	39	28.07	18	04	31.01						
	620		49	39	30.74	18	04	25.45						
	621		49	39	33.13	18	04	28.16						
	622		49	39	34.12	18	04	25.77						
	623		49	39	31.40	18	04	21.50						
	624		49	39	34.15	18	04	19.52						
625	49	39	32.48	18	04	14.19								
23	625	polygon	49	39	50.02	18	04	16.40	302,0	-		les	-	-
	626		49	39	53.32	18	04	19.38						
	627		49	39	53.92	18	04	27.65						
	628		49	39	49.27	18	04	29.04						
	629		49	39	47.77	18	04	18.00						
	625		49	39	50.02	18	04	16.40						
24	678	linie	49	40	11.14	18	05	56.33	297,9	-		stromy	-	-
	679		49	40	01.75	18	06	11.59						
25	680	linie	49	39	59.63	18	08	48.29	307,0	-		stromy	-	-
	681		49	40	02.91	18	08	57.11						
26	682	linie	49	40	14.57	18	08	26.87	307,0	-		stromy	-	-
	683		49	40	12.69	18	08	24.78						
27	684	linie	49	40	15.75	18	08	25.21	332,0	-		stromy	-	-
	685		49	40	25.25	18	08	53.06						
28	686	linie	49	40	45.92	18	08	20.01	322,0	-		el. vedení	N	N
	687		49	40	28.31	18	08	20.66						
	688		49	40	08.65	18	08	37.75						
	689		49	40	00.01	18	08	45.41						
29	694	bod	49	38	58.35	18	03	21.60	309,0	1,1		stromy	-	-
30	695	bod	49	39	06.91	18	04	46.58	299,0	3,0		stromy	-	-
31	696	bod	49	39	10.80	18	03	23.25	299,0	3,0		stromy	-	-
32	697	bod	49	39	14.37	18	04	05.36	307,0	11,0		stromy	-	-
33	698	bod	49	40	01.31	18	04	49.66	297,0	1,0		stromy	-	-
34	699	bod	49	40	22.46	18	04	27.20	280,0	1,0		stromy	-	-
35	700	linie	49	40	43.35	18	05	25.35	275,0	-	<a href="#">P4110017</a>	stromy	-	-
	701		49	40	45.34	18	05	08.78						
	702		49	40	46.65	18	05	04.61						
	703		49	40	49.47	18	05	00.77						
	704		49	40	52.41	18	04	58.82						
	705		49	40	59.25	18	04	55.06						
36	706	linie	49	42	31.91	18	08	16.36	262,0	-		stromy	-	-
	707		49	42	29.59	18	08	26.99						
37	708	polygon	49	42	30.48	18	08	19.35	264,3	-		stromy	-	-
	709		49	42	31.10	18	08	17.17						
	710		49	42	28.69	18	08	15.53						
	711		49	42	29.48	18	08	11.59						
	712		49	42	27.51	18	08	10.68						
	713		49	42	22.39	18	08	10.84						
	714		49	42	23.31	18	08	12.12						
	715		49	42	25.11	18	08	12.06						
	708		49	42	30.48	18	08	19.35						

38	716	polygon	49	42	01.39	18	07	51.70	271,5	-		stromy	-	-
	717		49	42	08.85	18	08	03.36						
	718		49	42	18.49	18	08	06.75						
	719		49	42	19.61	18	08	02.45						
	720		49	42	18.00	18	08	00.64						
	721		49	42	12.63	18	07	51.66						
	722		49	42	10.82	18	07	52.88						
	723		49	42	09.57	18	07	52.45						
	724		49	42	05.30	18	07	45.19						
	716		49	42	01.39	18	07	51.70						
39	725	linie	49	39	05.75	18	03	49.34	302,5	-		stromy	-	-
	726		49	39	12.45	18	03	43.38						
	727		49	39	18.19	18	03	44.42						
40	728	polygon	49	39	32.14	18	03	58.84	299,0	-		stromy	-	-
	729		49	39	35.19	18	03	57.16						
	730		49	39	35.84	18	03	56.20						
	731		49	39	35.76	18	03	54.84						
	732		49	39	31.14	18	03	55.31						
	733		49	39	31.38	18	03	57.39						
	728		49	39	32.14	18	03	58.84						
41	734	linie	49	38	51.35	18	04	27.51	311,0	-		stromy	-	-
	735		49	38	56.05	18	04	38.32						
42	736	linie	49	39	14.92	18	04	21.27	310,0	-		stromy	-	-
	737		49	39	20.62	18	04	23.12						
43	738	linie	49	39	03.64	18	07	03.32	330,0	-		stromy	-	-
	739		49	39	15.43	18	07	08.68						
	740		49	39	22.31	18	07	20.52						
44	741	polygon	49	38	43.94	18	04	09.30	316,5	-		les	-	-
	742		49	38	50.61	18	03	49.70						
	743		49	38	48.17	18	03	35.35						
	744		49	38	46.04	18	03	36.35						
	745		49	38	46.80	18	03	39.61						
	746		49	38	42.82	18	03	57.61						
	747		49	38	39.90	18	03	58.97						
	748		49	38	41.74	18	04	08.02						
	741		49	38	43.94	18	04	09.30						
45	1001	bod	49	40	50.20	18	05	08.95	260,0	0,1		strom	-	-
46	1009	bod	49	40	47.54	18	04	55.96	279,8	16,1		stromy	-	-
47	1010	bod	49	40	44.17	18	05	02.84	283,0	19,7		stromy	-	-
48	1011	bod	49	40	46.53	18	04	41.02	271,0	3,4		stromy	-	-
49	1012	bod	49	40	40.52	18	04	48.82	269,1	1,3		stromy	-	-
50	1013	bod	49	40	36.22	18	05	02.56	275,1	9,0		les	-	-
51	1014	bod	49	40	31.80	18	05	07.01	283,0	16,4		stromy	-	-
52	1017	linie	49	40	27.10	18	05	05.63	287,3	-		stromy	-	-
	1018		49	40	29.29	18	05	11.66						
53	1019	bod	49	40	55.67	18	04	48.53	274,6	1,5		stromy	-	-
54	1020	bod	49	40	56.10	18	04	53.01	282,4	16,5		stromy	-	-
55	1021	linie	49	40	58.76	18	04	55.93	273,1	-		stromy	-	-
	1022		49	41	35.60	18	05	55.40						
56	1024	bod	49	41	35.91	18	05	59.43	261,9	2,2		lampa	N	N
57	1025	bod	49	41	36.66	18	06	00.61	261,8	2,1		lampa	N	N
58	1026	bod	49	41	37.39	18	06	01.88	261,7	2,3		lampa	N	N
59	1027	bod	49	41	41.80	18	06	07.35	262,4	0,1		stromy	-	-
60	1028	bod	49	41	42.41	18	06	12.61	259,6	6,0		stromy	-	-
61	1029	bod	49	41	42.70	18	06	10.70	260,5	2,1		objekt	N	N
62	1039	bod	49	42	08.05	18	07	49.36	275,4	4,1		osvětlovací stožár	A	A
63	1045	bod	49	41	09.65	18	06	15.98	283,4	4,4		osvětlovací stožár	A	A
64	1047	bod	49	40	59.59	18	05	59.72	284,9	5,0		osvětlovací stožár	A	A
65	1052	bod	49	35	01.33	17	57	54.13	506,0	99,0		hrad Starý Jičín	N	N
66	1056	bod	49	35	41.61	17	55	41.59	409,2	2,2		stromy	-	-
67	1057	bod	49	42	31.75	18	03	32.39	316,3	20,3	<a href="#">P4120045</a>	komín	A	A
68	1058	bod	49	42	30.41	18	03	29.15	313,0	17,0	<a href="#">P4120046</a>	komín	N	A
69	1104	bod	49	39	13.23	18	05	49.93	297,0	1,0		sloup	N	N
70	1106	linie	49	39	03.05	18	05	50.13	310,4	-		stromy	-	-
	1107		49	39	01.33	18	05	43.01						
71	1108	bod	49	38	58.43	18	05	57.27	302,3	6,3		sloup	N	N
72	1110	bod	49	38	53.70	18	05	58.31	320,0	24,0		stromy	-	-
73	1120	bod	49	39	44.49	18	06	10.30	321,5	25,5		stožár	N	N
74	1130	bod	49	39	57.15	18	06	24.49	301,5	5,5		sloup	N	N
75	1163	bod	49	40	09.24	18	08	28.65	307,0	11,0		stromy	-	-

76	1168	bod	49	40	28.78	18	08	54.89	330,0	34,0		stromy	-	-
77	1179	bod	49	41	17.92	18	09	14.50	298,0	2,0		strom	-	-
78	1206	bod	49	43	40.77	18	04	44.32	310,0	5,4		kostel - věž	N	N
79	1217	bod	49	40	27.37	18	09	28.29	319,0	19,1		stromy	-	-
80	1228	bod	49	39	52.76	18	08	47.48	315,0	4,6		stromy	-	-
81	1231	bod	49	39	38.52	18	09	19.19	351,0	2,7		stromy	-	-
82	1232	bod	49	39	22.28	18	07	36.52	301,2	5,2		stromy	-	-
83	1239	bod	49	38	57.06	18	06	46.54	320,0	22,3		stromy	-	-
84	1246	bod	49	38	42.64	18	04	56.85	309,0	9,7		stožár	N	N
85	1247	bod	49	38	41.79	18	04	46.43	307,0	5,1		stromy	-	-
86	1249	bod	49	38	41.84	18	04	39.23	304,0	1,1		stožár	N	N
87	1270	bod	49	36	39.59	18	04	39.22	523,5	127,5		les	-	-
88	1271	bod	49	36	35.53	18	05	11.54	459,0	63,0		les	-	-
89	1306	polygon	49	40	06.59	18	06	07.35	343,0	-		terén, les	-	-
	1307		49	40	00.62	18	06	18.23						
	1308		49	40	00.28	18	06	22.21						
	1309		49	40	07.72	18	06	20.41						
	1310		49	40	11.07	18	06	22.31						
	1311		49	40	00.69	18	06	39.12						
	1312		49	39	59.37	18	06	36.24						
	1313		49	39	51.76	18	06	40.92						
	1314		49	39	50.04	18	06	38.12						
	1315		49	39	42.30	18	06	46.73						
	1316		49	39	37.54	18	06	48.94						
	1317		49	39	32.52	18	06	52.27						
	1318		49	39	26.77	18	06	57.05						
	1319		49	39	26.36	18	07	00.44						
	1320		49	39	27.74	18	07	06.79						
	1321		49	39	26.55	18	07	08.22						
	1322		49	39	22.27	18	07	00.58						
	1323		49	39	15.46	18	07	04.35						
	1324		49	39	17.23	18	07	14.17						
	1325		49	39	12.50	18	07	20.29						
	1326		49	39	03.42	18	07	19.48						
	1327		49	38	56.70	18	07	12.97						
	1328		49	38	55.27	18	07	08.53						
	1329		49	38	53.18	18	07	10.00						
	1330		49	38	46.74	18	06	49.48						
	1331		49	38	48.24	18	06	48.06						
	1332		49	38	45.89	18	06	36.40						
	1333		49	38	40.62	18	06	33.06						
	1334		49	38	40.30	18	06	25.19						
	1335		49	38	35.54	18	06	08.66						
	1336		49	38	43.48	18	05	58.25						
	1337	49	38	42.87	18	05	47.74							
	1338	49	38	46.54	18	05	46.70							
	1339	49	38	47.75	18	05	56.64							
	1340	49	38	51.02	18	06	03.86							
	1341	49	38	52.01	18	06	03.22							
	1342	49	38	54.79	18	05	58.35							
	1343	49	38	59.45	18	05	55.63							
	1344	49	39	06.86	18	05	54.48							
	1345	49	39	12.22	18	05	56.27							
	1346	49	39	15.69	18	06	01.08							
	1347	49	39	17.61	18	06	15.05							
	1348	49	39	20.81	18	06	13.13							
	1349	49	39	23.05	18	06	08.88							
	1350	49	39	21.26	18	06	00.55							
	1351	49	39	22.61	18	05	59.31							
	1352	49	39	22.63	18	05	48.43							
	1353	49	39	26.23	18	05	44.29							
	1354	49	39	34.25	18	05	54.02							
	1355	49	39	38.93	18	05	49.16							
	1356	49	39	48.72	18	05	49.03							
	1357	49	39	47.99	18	05	45.24							
	1358	49	39	52.50	18	05	43.07							
	1359	49	39	53.55	18	05	48.40							
	1360	49	39	58.41	18	05	47.74							
	1361	49	40	09.39	18	05	56.78							
	1306	49	40	06.59	18	06	07.35							

90	1362	polygon	49	41	06.74	18	09	42.48	330,0	-		terén, les, zástavba	-	-
	1363		49	40	59.50	18	09	36.46						
	1364		49	40	56.20	18	09	35.68						
	1365		49	40	55.85	18	09	36.41						
	1366		49	40	56.35	18	09	38.97						
	1367		49	41	01.39	18	09	46.57						
	1368		49	41	00.99	18	09	48.10						
	1369		49	40	59.35	18	09	50.95						
	1370		49	40	57.87	18	09	47.17						
	1371		49	40	51.64	18	09	41.06						
	1372		49	40	48.64	18	09	41.46						
	1373		49	40	45.03	18	09	36.35						
	1374		49	40	45.28	18	09	40.76						
	1375		49	40	37.88	18	09	28.55						
	1376		49	40	36.09	18	09	28.79						
	1377		49	40	35.48	18	09	27.72						
	1378		49	40	31.07	18	09	36.43						
	1379		49	40	26.47	18	09	28.73						
	1380		49	40	21.95	18	09	28.99						
	1381		49	40	17.43	18	09	25.76						
	1382		49	40	13.51	18	09	21.92						
	1383		49	40	09.10	18	09	20.04						
	1384		49	40	07.18	18	09	17.58						
	1385		49	40	11.92	18	09	06.66						
	1386		49	40	04.93	18	08	53.41						
	1387		49	40	03.55	18	08	44.59						
	1388		49	40	04.86	18	08	37.57						
	1389		49	40	07.62	18	08	31.66						
	1390		49	40	11.46	18	08	26.52						
	1391		49	40	19.71	18	08	17.24						
	1392		49	40	26.39	18	08	14.47						
	1393		49	40	33.09	18	08	14.75						
	1394	49	40	35.20	18	08	04.20							
	1395	49	40	39.12	18	08	16.79							
	1396	49	40	43.01	18	08	22.17							
	1397	49	40	49.90	18	08	26.13							
	1398	49	40	53.26	18	08	47.94							
	1399	49	40	58.42	18	08	53.67							
	1400	49	41	10.53	18	08	46.64							
	1401	49	41	13.59	18	08	56.29							
	1402	49	41	12.02	18	08	58.19							
	1403	49	41	10.78	18	08	55.60							
	1404	49	41	09.00	18	08	57.27							
	1405	49	41	08.67	18	09	03.72							
	1406	49	41	05.59	18	09	08.41							
	1407	49	41	15.70	18	09	34.47							
	1408	49	41	14.68	18	09	34.71							
	1409	49	41	12.39	18	09	35.67							
	1410	49	41	11.68	18	09	34.64							
	1411	49	41	09.51	18	09	36.78							
	1362	49	41	06.74	18	09	42.48							